



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO). F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/674,864		03/30/2001	Thomas B. Brightman	MOTOR001.001	5622	
25247	7590	06/28/2004	EXAMINER		NER	
GORDO	N E NELS	ON	EL HADY, NABIL M			
PATENT ATTORNEY, PC 57 CENTRAL ST				ART UNIT	PAPER NUMBER	
PO BOX 7	PO BOX 782				Λ	
ROWLEY, MA 01969				DATE MAILED: 06/28/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

R

	Application No.	Applicant(s)
	09/674,864	BRIGHTMAN ET AL.
Office Action Summary	Examiner	Art Unit
	Nabil M El-Hady	2154
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. (1) (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 31 Ja	anuary 2001 and 30 March 2001.	
<u> </u>	action is non-final.	
3) Since this application is in condition for allowar	nce except for formal matters, pro	osecution as to the merits is
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.
Disposition of Claims		
4) ☐ Claim(s) 14-23 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 14-23 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine		
10)☐ The drawing(s) filed on is/are: a)☐ acc		
Applicant may not request that any objection to the	- , ,	• •
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	•	• • • • • • • • • • • • • • • • • • • •
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summary	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Date of Informal F	Patent Application (PTO-152)

Application/Control Number: 09/674,864 Page 2

· Art Unit: 2154

1. Claims 1-13 are cancelled in accordance with preliminary amendment filed 3/30/2001, wherein claims 1-10 are added.

2. The numbering of claims 1-10 is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 1-10 have been renumbered 14-23.

- 3. Claims 14-23 are now pending in this application.
- 4. This application does not contain an abstract of the disclosure as required by 37 CFR 1.72(b). An abstract on a separate sheet is required.
- 5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. Claims 14-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Hansen et al. (US 5,794,060).

Application/Control Number: 09/674,864 Page 3

· Art Unit: 2154

7. As to claim 14, Hansen discloses the invention as claimed including an integrated circuit (Fig. 19; col. 26, lines 52-5; and col. 27, lines 16-25) comprising: a plurality of data stream inputs and/or outputs that receive and/or transmit streams of data (14, 16, 18, 28, Fig. 1; 132, 136, 140, 144, 146, Fig. 7; and 216, Fig. 19); a plurality of data stream processors that process the streams of data, each data stream processor being coupled to a data stream input and/or data stream output (12, Fig. 18(a)-(c); 12, Fig. 7; PROCESSOR12, and I/O 216, Fig. 19; and col. 25, lines 54-56) and including a writeable instruction memory containing instructions (INSTR*N BUFFER CASCHE 118, Fig. 7; 32 KBYTE I-CACHE118, Fig. 19; col. 16, lines 54-59; and col. 27, lines 54-60) and a control data processor that controls the data stream processor by sequentially executing instructions from the writeable instruction memory (ETLB & TAGS 122, and Fig. 7; MMU 122, Fig. 19.)

- 8. As to claim 15, Hansen discloses the control data processor is a general-purpose microprocessor that has an industry standard architecture, whereby programs for the control data processor may be developed using standard tools for the architecture (col. 16, lines 1-14).
- 9. As to claim 16, Hansen discloses the streams of data include a serial streams and a parallel stream (col. 17, lines 18-21).
- 10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 09/674,864 Page 4

Art Unit: 2154

11. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. (US 5,794,060), hereafter "Hansen" in view of Kolchinsky (US 5,535,406).

- 12. As to claim 17, Hansen does not disclose an aggregator for aggregating certain of the data stream processors to cooperate in processing a stream of data. Kolchinsky, on the other hand, discloses aggregating certain of the data stream processors to cooperate in processing a stream of data (col. 6, lines 63 to col. 7, line 8; and col. 8, lines 19-32) including configurable interconnections between the aggregated data stream processors (Figs. 3-5); a configurable operation coordinator that coordinates operation of the aggregated data stream processors (configuration controller 32, and Virtual Processor Module Controller 30; Fig. 7) and a writeable configuration that specifies the configurable interconnections and the configurable operation coordinator as required to aggregate the data stream processors (configuration memory 33, Fig. 7). It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Hansen and Kolchinsky because Kolchinsky's use of aggregator for aggregating certain of the data stream processors to cooperate in processing a stream of data would enhance the functionality of Hansen system by allowing a configurable logic to offer a new mixture of performance and versatility (see, Kolchinsky, col. 1, lines 50-60).
- 13. Claim18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. (US 5,794,060), hereafter "Hansen" in view of Murata et al. (US 6,216,179), hereafter "Murata".
- 14. As to claim 18, Hansen discloses the integrated circuit may be used with a plurality of transmission protocols (Figs. 1 and 2). However, Hansen does not disclose a writeable configuration specifier for specifying a configuration of the data stream inputs and/or outputs.

Murata, on the other hand, discloses a writeable configuration specifier for specifying a configuration of the data stream inputs and/or outputs (col. 10, lines 19-34). It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Hansen and Murata because Murata's use of configuration specifier for specifying a configuration of the data stream inputs and/or outputs would enhance the functionality of Hansen system by allowing a configurable logic to offer a new mixture of performance and versatility.

- 15. Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. (US 5,794,060), hereafter "Hansen" in view of Deb et al. (US 6,172,990), hereafter "Deb".
- 16. As to claim 19, Hansen does not disclose the data stream processor further comprising a receive processor and/or a transmit processor. Deb, on the other hand, discloses the data stream processor further comprising a receive processor that operates under control of the control data processor to process the data stream received from the data stream input and/or a transmit processor that operates under control of the control data processor to process the data stream for output to the data stream output (Fig. 8; and col. 21, lines 30-67). It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Hansen and Deb because Deb's use of receive and/or transmit processor would enhance the functionality of Hansen system by providing dedicated processing for the different requirements of the receive and transmit processing.
- 17. As to claim 20, Hansen discloses each of the processor (working as receive or transmit processor) comprises a writeable instruction memory containing instructions (INSTR"N BUFFER CASCHE 118, Fig. 7; 32 KBYTE I-CACHE118, Fig. 19; col. 16, lines 54-59; and col. 27, lines

Application/Control Number: 09/674,864

Art Unit: 2154

54-60); and the processor sequentially executes certain of the instructions to process the data stream (col. 16, lines 1-14, 54-66).

- 18. As to claim 21, Hansen discloses the processor (receive and/or transmit) have a plurality of processing components and are configurable to bypass one or more of the components in processing the data streams (col. 11, lines 24-32; and Figs. 5 and 6).
- 19. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. (US 5,794,060) and/or Hansen et al. (US 5,794,060) in view of Deb et al. (US 6,172,990), and/or Hansen et al. (US 5,794,060) in view of Kolchinsky (US 5,535,406), and/or Hansen et al. (US 5,794,060) in view of Murata et al. (US 6,216,179), and further in view of Yajima (US 5,809,176) in accordance with the multiple dependency of the claim.
- 20. As to claim 22, Hansen, Deb, Kolchinsky, and Murata do not disclose a context processor to produce information about given data stream's context. Yajima, on the other hand, discloses a context processor that responds to information received from a given data stream processor that is processing a data stream to produce information about the given data stream's context and provide the context information to the given data stream processor, the given data stream processor using the context information to process the data stream (col. 5, lines 41-48). It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Hansen, Hanson and Deb, Hanson and Kolchinsky, or Hanson and Murata; and Yajima because Yajima's use of a context processor would enhance the functionality of the produced system by speeding up the processing of the data stream in the data stream processor as a result of providing information about stream context.

21. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen et al. (US 5,794,060) in view of Deb et al. (US 6,172,990); or Hansen et al. (US 5,794,060 in view of Kolchinsky (US 5,535,406) and further in view of Deb et al. (US 6,172,990), or Hansen et al. (US 5,794,060) in view of Murata et al. (US 6,216,179) and further in view of Deb et al. (US 6,172,990) in accordance with the multiple dependency of the claim.

22. As to claim 23, Hansen, Kolchinsky, and Murata do not disclose the detailed components of the integrated system for data stream transmission. Deb, however, discloses a stream of data contains control data and payload (col. 19, lines 59-67); a received stream of data is processed in a receiving data stream processor to extract the control data and the payload (RECV Stream Proc 114b, Fig. 8) and a transmitted stream of data is processed in a transmitting data stream processor to add control data to the payload (XMIT Stream Proc 114a, and Encapsulated Packet, Fig. 8); a buffer manager coupled to the data stream processors that provides addresses of buffers for storing payload and responds to a write operation with a buffer address to write payload to the addressed buffer and to a read operation with a buffer address to read payload to from the addressed buffer (FIFO CONTROLLER 110, 112, Fig. 2A); and a queue manager coupled to the data stream processors that manages queues of descriptors of payload, each descriptor including at least a buffer address, the queue manager responding to an enqueue command by enqueuing a descriptor provided with the command to a queue specified in the command and responding to a dequeue command by dequeuing a descriptor from the queue specified in the command (Queue FIFO 106, 108, Fig. 2A), a data stream processor responding to a received stream of data by performing a write operation to the buffer manager with the received data stream's payload and an address provided by the buffer

manager and performing an enqueue operation with a descriptor containing the address and transmitting a stream of data by performing a dequeue operation, using the address in a descriptor obtained as a result of the dequeue operation in a read operation to the buffer manager, producing a data stream using the payload received from the buffer manager, and transmitting the produced data stream (STREAM PROCESSOR, 1141, 114b, Fig. 2A). It would have been obvious to one skilled in the art at the time of the invention to combine the teachings of Hansen, Hanson , Hanson and Kolchinsky, or Hanson and Murata; and Deb because Deb's use of a buffer manager, a queue manager with the data stream processor would enhance the functionality of the produced system by speeding up the processing of the data stream in the data stream processor as a result of managing the buffering and the queuing system.

23. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Pechaneck et al. (US 5,682,491); Athanas et al. (US 5,828,858); Kolaneck et al. (US 5,870,436); Lentz (US 5,444,853); North et al. (US 6,055,619); Rupp (5,784,636); Kerstein (US 6,292,483); Alexander et al. (US 6,163,539); Haddock et al. (US 6,295,299); Gove et al. (US 5,526,051); Vincent et al. (US 6,643,285); Mura et al. (US 5,371,860); Reader et al. (US 6,192,073); Brown (US 6,128,307); Cwiakala et al (US 5,257,379).

24. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nabil M El-Hady whose telephone number is (703) 308-7990. The examiner can normally be reached on 9:00 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Follansbee can be reached on (703) 305-8498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

June 21, 2004

Nabil El-Hady, Ph.D, M.B

Primary Patent Examiner

Art Unit 2154